



SAFETY DATA SHEET STAR ENVIROPLUS

PRODUCT CODE: 00910045

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name STAR ENVIROPLUS

Product number 00910045

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Star Enviroplus is a powerful, water soluble, biodegradable, solvent degreasing compound which contains no petroleum solvents.

Star Enviroplus relies on a natural organic hydrocarbon and highly efficient, biodegradable emulsifying agents to attain superior solvency for effective removal of heavy grease, fats, oil, grime, Inks and general dirt, leaving a pleasant odour after use.

Star Enviroplus solutions are completely biodegradable allowing easy disposal without any danger of water pollution.

Maximum Dilution 100 to 1.

1.3. Details of the supplier of the safety data sheet

Supplier

STAR International
Star House
Turbine Business Park
Turbine Road
Birkenhead
Merseyside
CH41 9BA
Tel: +44 (0) 1244 504 500
Fax: +44 (0) 1244 504 504
www.star-international.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1244 504 500 (Office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

STAR ENVIROPLUS

Hazard pictograms



Signal word

Danger

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements

P264 Wash contaminated skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with local regulations.

Contains

FATTY ALCOHOL SURFACTANT, FATTY ALCOHOL SURFACTANT

Supplementary precautionary statements

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.

2.3. Other hazards

Not available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

FATTY ALCOHOL SURFACTANT

5-10%

CAS number: 68603-42-9

Classification

Skin Irrit. 2 - H315
Eye Dam. 1 - H318

FATTY ALCOHOL SURFACTANT

5-10%

CAS number: 68439-46-3

Classification

Acute Tox. 4 - H302
Eye Dam. 1 - H318

ETHANEDIOL

1-5%

CAS number: 107-21-1

EC number: 203-473-3

REACH registration number: 01-2119456816-28-XXXX

Classification

Acute Tox. 4 - H302
STOT RE 2 - H373

STAR ENVIROPLUS

| | | |
|-------------------------|----------------------|--|
| 2-BUTOXYETHANOL | | 1-5% |
| CAS number: 111-76-2 | EC number: 203-905-0 | REACH registration number: 01-2119475108-36-XXXX |
| Classification | | |
| Acute Tox. 4 - H302 | | |
| Acute Tox. 4 - H312 | | |
| Acute Tox. 4 - H332 | | |
| Skin Irrit. 2 - H315 | | |
| Eye Irrit. 2 - H319 | | |
| SURFAC UN65/95 | | <1% |
| CAS number: 68439-46-3 | | |
| Classification | | |
| Acute Tox. 4 - H302 | | |
| Eye Dam. 1 - H318 | | |
| CITRUS TERPENOID | | <1% |
| CAS number: 8028-48-6 | EC number: 232-433-8 | REACH registration number: 01-2119493353-35-XXXX |
| Classification | | |
| Flam. Liq. 3 - H226 | | |
| Skin Irrit. 2 - H315 | | |
| Asp. Tox. 1 - H304 | | |
| GLYCERINE | | <1% |
| CAS number: 56-81-5 | EC number: 200-289-5 | REACH registration number: 01-2119471987-18XXXX |
| Classification | | |
| Not Classified | | |
| PHOSPHORIC ACID | | <1% |
| CAS number: 7664-38-2 | EC number: 231-633-2 | REACH registration number: 01-2119485924-24-XXXX |
| Classification | | |
| Met. Corr. 1 - H290 | | |
| Acute Tox. 4 - H302 | | |
| Skin Corr. 1B - H314 | | |
| Eye Dam. 1 - H318 | | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

STAR ENVIROPLUS

| | |
|---------------------|---|
| Inhalation | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. |
| Ingestion | Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|----------------------------|
| Skin contact | Causes skin irritation. |
| Eye contact | Causes serious eye damage. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|---------------------------|
| Notes for the doctor | No information available. |
|-----------------------------|---------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|-------------------------------------|---|
| Suitable extinguishing media | Use fire-extinguishing media suitable for the surrounding fire. |
|-------------------------------------|---|

5.2. Special hazards arising from the substance or mixture

| | |
|-------------------------|---|
| Specific hazards | In case of fire, toxic and corrosive gases may be formed. |
|-------------------------|---|

5.3. Advice for firefighters

| | |
|--|---|
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |
|--|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Follow precautions for safe handling described in this safety data sheet. |
|-----------------------------|---|

6.2. Environmental precautions

| | |
|----------------------------------|---|
| Environmental precautions | Avoid discharge to the aquatic environment. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. |
|----------------------------------|---|

6.3. Methods and material for containment and cleaning up

| | |
|--------------------------------|--|
| Methods for cleaning up | Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. |
|--------------------------------|--|

6.4. Reference to other sections

| | |
|------------------------------------|---|
| Reference to other sections | Wear protective clothing as described in Section 8 of this safety data sheet. |
|------------------------------------|---|

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|--------------------------|---|
| Usage precautions | Avoid spilling. Avoid contact with skin and eyes. |
|--------------------------|---|

7.2. Conditions for safe storage, including any incompatibilities

STAR ENVIROPLUS

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour

Sk

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

GLYCERINE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Sk = Can be absorbed through skin.

Sk = Can be absorbed through the skin.

2-BUTOXYETHANOL (CAS: 111-76-2)

Biological limit values 240 mmol butoxyacetic acid/mol creatinine in urine sampling time - Post shift

DNEL

Industry - Dermal; Short term : 89 mg/kg/day

Industry - Inhalation; Short term systemic effects: 246 mg/m³

Industry - Dermal; Long term systemic effects: 125 mg/kg/day

Industry - Inhalation; Long term : 98 mg/m³

Consumer - Dermal; Short term : 89 mg/kg/day

Consumer - Inhalation; Long term : 426 mg/m³

Consumer - Oral; Short term : 26.7 mg/kg/day

Consumer - Inhalation; : 147 mg/m³

Consumer - Inhalation; Long term : 59 mg/m³

Industry - Inhalation; Short term systemic effects: 1091 mg/m³

Consumer - Dermal; Long term systemic effects: 75 mg/kg/day

Consumer - Oral; Long term systemic effects: 6.3 mg/kg/day

PNEC

- Fresh water; 8.8 mg/l

- marine water; 0.88 mg/l

- Fresh water, Sediment; 8.14 mg/kg

- Soil; 2.8 mg/kg

- Sediment (Marinewater); 3.46 mg/kg

- STP; 463 mg/l

ETHANEDIOL (CAS: 107-21-1)

STAR ENVIROPLUS

DNEL Industry - Inhalation; Short term : 35 mg/m³
 Industry - Dermal; Long term : 106 mg/kg/day
 Consumer - Dermal; Long term : 53 mg/kg/day
 Consumer - Inhalation; Long term : 7 mg/m³

PNEC - Fresh water; 10 mg/l
 - marine water; 1 mg/l
 - Soil; 1.53 mg/l
 - STP; 199.5 mg/l

GLYCERINE (CAS: 56-81-5)

DNEL Industry - Inhalation; Long term local effects: 56 mg/m³

PNEC - Fresh water; 0.885 mg/l
 - marine water; 0.0885 mg/l
 - Intermittent release; 8.85 mg/l
 - STP; 1000 mg/l
 - Soil; 0.141 mg/kg
 - Sediment (Freshwater); 3.3 mg/kg
 - Sediment (Marinewater); 0.33 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Wear protective gloves made of the following material: Polyethylene. Nitrile rubber. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------|---------------------------------|
| Appearance | Liquid. |
| Colour | Amber. |
| Odour | Fruity. |
| pH | pH (concentrated solution): 7-8 |
| Relative density | ~ 1.0 @ 20°C |

STAR ENVIROPLUS

9.2. Other information

Other information Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not available.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid No information available.

10.6. Hazardous decomposition products

Hazardous decomposition products Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 4,256.66

Acute toxicity - dermal

ATE dermal (mg/kg) 90,009.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 495.05

Skin corrosion/irritation

Skin corrosion/irritation Skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

STAR ENVIROPLUS

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Toxicological information on ingredients.

FATTY ALCOHOL SURFACTANT

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >300-<=2000 mg/kg, ,

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, ,

Skin corrosion/irritation

Animal data No information available.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

STAR ENVIROPLUS

| | |
|---------------------|---|
| Inhalation | Absorption through the lungs can occur causing symptoms similar to those of ingestion |
| Ingestion | May cause chemical burns in mouth and throat. Irritating. May cause nausea, stomach pain and vomiting. |
| Skin contact | Causes mild skin irritation. |
| Eye contact | There may be severe pain. The eyes may water profusely. Corneal burns may occur. May cause permanent damage |

ETHANEDIOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 10,600.0

Species Rabbit

Notes (dermal LD₅₀) LD₅₀ >10600 mg/kg, Dermal, Rabbit

ATE dermal (mg/kg) 10,600.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 2.5

Species Rat

Notes (inhalation LC₅₀) LD₅₀ >2.5 mg/l, Inhalation, Rat

Skin corrosion/irritation

Animal data Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vivo This substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity There is no evidence that the product can cause cancer.

Reproductive toxicity

Reproductive toxicity - development Symptoms following overexposure may include the following: Possible risk of adverse reproductive effects.

Specific target organ toxicity - single exposure

STAR ENVIROPLUS

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure May cause damage to organs (Kidneys) through prolonged or repeated exposure if swallowed.

Aspiration hazard

Aspiration hazard No information available.

Inhalation Vapour may irritate respiratory system/lungs.

Ingestion Harmful if swallowed. Lethal dose to humans 100ml

Skin contact Prolonged and frequent contact may cause redness and irritation.

Eye contact May cause temporary eye irritation.

Target organs Liver Kidneys

2-BUTOXYETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,746.0

Species Rat

ATE oral (mg/kg) 1,746.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Guinea pig

ATE dermal (mg/kg) 2,000.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 11.0

Skin corrosion/irritation

Animal data No information available.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

STAR ENVIROPLUS

| | |
|--|---|
| Carcinogenicity | No information available. |
| <u>Reproductive toxicity</u> | |
| Reproductive toxicity - fertility | No information available. |
| <u>Specific target organ toxicity - single exposure</u> | |
| STOT - single exposure | No information available. |
| <u>Specific target organ toxicity - repeated exposure</u> | |
| STOT - repeated exposure | No information available. |
| <u>Aspiration hazard</u> | |
| Aspiration hazard | No information available. |
| <u>Inhalation</u> | |
| Inhalation | Harmful by inhalation. |
| <u>Ingestion</u> | |
| Ingestion | Harmful if swallowed. |
| <u>Skin contact</u> | |
| Skin contact | Harmful in contact with skin. Irritating to skin. |
| <u>Acute and chronic health hazards</u> | |
| Acute and chronic health hazards | A single exposure may cause the following adverse effects: Central nervous system depression. |
| <u>Target organs</u> | |
| Target organs | Eyes Skin Respiratory system, lungs |

SECTION 12: Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

Ecological information on ingredients.

ETHANEDIOL

Ecotoxicity The product components are not classified as environmentally hazardous. The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

2-BUTOXYETHANOL

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Ecological information on ingredients.

FATTY ALCOHOL SURFACTANT

Acute aquatic toxicity

Acute toxicity - fish EC₅₀, 48 hours: 1-10 mg/l, Algae
LC₅₀, 96 hours: 1-10 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 1-10 mg/l, Daphnia magna

ETHANEDIOL

STAR ENVIROPLUS

Acute aquatic toxicity

| | |
|---|--|
| Acute toxicity - fish | LC ₅₀ , 96 hours: 72860 mg/l, Pimephales promelas (Fat-head Minnow) |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 48 hours: >100 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | EC ₅₀ , 96 hours: 6500-13000 mg/l, |
| Acute toxicity - microorganisms | EC ₅₀ , 30 minutes: 225 mg/l, Activated sludge |

2-BUTOXYETHANOL

Toxicity Not considered toxic to fish.

Acute aquatic toxicity

| | |
|---|--|
| Acute toxicity - fish | LC ₅₀ , 96 hour: 1474 mg/l, Oncorhynchus mykiss (Rainbow trout) |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 48 hours: 1550 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | EC ₅₀ , 72 hours: 1840 mg/l, Algae, Pseudokirchneriella subcapitata |
| <u>Chronic aquatic toxicity</u> | |
| Chronic toxicity - fish early life stage | NOEL, 21 days: >100 mg/l, Brachydanio rerio (Zebra Fish) |
| Chronic toxicity - aquatic invertebrates | NOEL, 21 days: 100 mg/l, Daphnia magna |

12.2. Persistence and degradability

Persistence and degradability No data available.

Ecological information on ingredients.

FATTY ALCOHOL SURFACTANT

Persistence and degradability Readily biodegradable

ETHANEDIOL

Persistence and degradability The product is readily biodegradable.

Biodegradation - Degradation 90: > 10 days

2-BUTOXYETHANOL

Persistence and degradability The product is readily biodegradable.

Biodegradation - Degradation (%) 90.4: 28 days

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

STAR ENVIROPLUS

Ecological information on ingredients.

FATTY ALCOHOL SURFACTANT

Bioaccumulative potential No potential for bioaccumulation.

ETHANEDIOL

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient : -1.36

2-BUTOXYETHANOL

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient : ~ 0.8

12.4. Mobility in soil

Ecological information on ingredients.

FATTY ALCOHOL SURFACTANT

Mobility Soluble in water. Absorbs on soil

ETHANEDIOL

Mobility The product is soluble in water.

Adsorption/desorption coefficient Water - Koc: 1 @ °C

2-BUTOXYETHANOL

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

FATTY ALCOHOL SURFACTANT

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

ETHANEDIOL

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

2-BUTOXYETHANOL

Results of PBT and vPvB assessment No information available.

12.6. Other adverse effects

Other adverse effects Not available.

STAR ENVIROPLUS

Ecological information on ingredients.

FATTY ALCOHOL SURFACTANT

Other adverse effects No data available

ETHANEDIOL

Other adverse effects None known.

2-BUTOXYETHANOL

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

STAR ENVIROPLUS

| | |
|-----------------------|--|
| EU legislation | Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. |
| Guidance | Workplace Exposure Limits EH40. |

15.2. Chemical safety assessment

Not available.

SECTION 16: Other information

| | |
|---|---|
| General information | Only trained personnel should use this material. |
| Key literature references and sources for data | MARPOL 73/78 Annex II - Regulations for the Control of Pollution by Noxious Liquid Substances in Bulk. European Chemicals Agency (ECHA) (www.echa.europa.eu). Health and Safety Executive (HSE). |
| Revision date | 23/04/2020 |
| Revision | 1 |
| Supersedes date | 10/04/2020 |
| SDS number | 21552 |
| Hazard statements in full | H226 Flammable liquid and vapour. H290 May be corrosive to metals. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. |
| Signature | Auguste Little |