

# SAFETY DATA SHEET STAR HIGH PRESSURE WASH

PRODUCT CODE: 00910020

Page: 1

Compilation date: 14.10.01

Revision date: 22.05.23

Revision No: 8

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: STAR HIGH PRESSURE WASH

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

### 1.3. Details of the supplier of the safety data sheet

Company name: Star International Ltd

Star House

Turbine Business Park

Turbine Road Birkenhead Merseyside CH41 9BA

Tel: +44 (0) 1244 504 500 Fax: +44 (0) 1244 504 504 www.star-international.co.uk

#### 1.4. Emergency telephone number

**Emergency tel:** 44 (0) 1244 504 500 (Office hours only)

#### **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

#### 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P260: Do not breathe mist/vapours/spray.

P280: Wear protective clothing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

STAR HIGH PRESSURE WASH

Page: 2

Rinse skin with water .

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# Hazardous ingredients:

2-BUTOXYETHANOL - REACH registered number(s): 01-2119475108-36-0000

| EINECS      | CAS                | PBT / WEL                       | CLP Classification  | Percent |
|-------------|--------------------|---------------------------------|---|---------|
| 203-905-0   | 111-76-2           | -                               | Acute Tox. 4: H332; Acute Tox. 4: H312;<br>Acute Tox. 4: H302; Eye Irrit. 2: H319;<br>Skin Irrit. 2: H315 | 1-10%   |
| ALKYL(C10-1 | 6)BENZENESULPH     | HONIC ACID                      |   |         |
| 287-494-3   | 85536-14-7         | -                               | Acute Tox. 4: H302; Aquatic Chronic 3: H412; Skin Corr. 1C: H314; Eye Dam. 1: H318                        | 1-10%   |
| SODIUM TRIF | POLYPHOSPHATE      |                                 |   |         |
| 231-838-7   | 7758-29-4          | -                               | Eye Irrit. 2: H319; Skin Irrit. 2: H315   | 1-10%   |
| ISOPROPANO  | OL - REACH registe | ered number(s): 01-2119457558-2 | 25-XXXX   |         |
| 200-661-7   | 67-63-0            | -                               | STOT SE 3: H336; Eye Irrit. 2: H319;<br>Flam. Liq. 2: H225  | 1-10%   |
| DRAIN OUT P | PEARL - REACH re   | gistered number(s): 01-21194578 | 92-27-0000  |         |
| 215-185-5   | 1310-73-2          | -                               | Skin Corr. 1A: H314   | 1-10%   |
| METHANOL -  | REACH registered   | number(s): 01-2119433307-44-0   | 030   |         |
| 200-659-6   | 67-56-1            | -                               | Flam. Liq. 2: H225; Acute Tox. 3: H331;<br>Acute Tox. 3: H311; Acute Tox. 3: H301;<br>STOT SE 1: H370     | <1%     |

### Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

STAR HIGH PRESSURE WASH

Page: 3

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary.

If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and

provide oxygen if available. Transfer to hospital as soon as possible.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and

away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the

escape of liquid.

STAR HIGH PRESSURE WASH

Page: 4

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

### Hazardous ingredients:

# 2-BUTOXYETHANOL

# Workplace exposure limits:

#### Respirable dust:

| State     | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-----------|------------|--------------|------------|--------------|
| UK        | 123 mg/m3  | -            | -          | -            |
| ISOPROPAN | OL         |              |            |              |
| LIIZ      | 400 DDM    | 500 DDM      |            |              |

# UK 400 PPM 500 PPM - - -

# DRAIN OUT PEARL

|--|

### **METHANOL**

| UK 266 mg/m3 333 mg/m3 - | UK | 266 mg/m3 |  | _ | - |
|--------------------------|----|-----------|--|---|---|
|--------------------------|----|-----------|--|---|---|

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### STAR HIGH PRESSURE WASH

Page: 5

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: PVC gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: Refer to specific Member State legislation for requirements under Community

environmental legislation.

### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow-brown

Odour: Characteristic odour

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible in all proportions

Viscosity: Non-viscous

Boiling point/range°C: >100 Melting point/range°C: No data available.

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable. Vapour pressure: No data available.

Relative density: 1.054 pH: 13.5

VOC g/l: No data available.

### 9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

# 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

STAR HIGH PRESSURE WASH

Page: 6

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### **Section 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Hazardous ingredients:**

#### 2-BUTOXYETHANOL

| IVN | RAT | LD50 | 307  | mg/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 1230 | mg/kg |
| ORL | RAT | LD50 | 470  | mg/kg |

# ALKYL(C10-16)BENZENESULPHONIC ACID

| ORL | DAT | LDE0 | 1000 | malka |
|-----|-----|------|------|-------|
| UKL | RAT | LD50 | 1000 | mg/kg |

#### **ISOPROPANOL**

| DERMAL | RBT | LD50 | 12800 | mg/kg |
|--------|-----|------|-------|-------|
| ORAL   | RAT | LD50 | 5045  | mg/kg |

#### **METHANOL**

| DERMAL  | RBT | LD50    | 15800 | mg/kg |
|---------|-----|---------|-------|-------|
| ORAL    | RAT | LD50    | 5628  | mg/kg |
| VAPOURS | RAT | 4H LC50 | 64000 | ppmV  |

#### Relevant hazards for product:

| Hazard                        | Route | Basis                 |
|-------------------------------|-------|-----------------------|
| Skin corrosion/irritation     | DRM   | Hazardous: calculated |
| Serious eye damage/irritation | OPT   | Hazardous: calculated |

### Symptoms / routes of exposure

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

STAR HIGH PRESSURE WASH

Page: 7

### **Section 12: Ecological information**

#### 12.1. Toxicity

#### Hazardous ingredients:

#### **METHANOL**

| Daphnia magna                       | 48H EC50 | 24500 | mg/l |
|-------------------------------------|----------|-------|------|
| RAINBOW TROUT (Oncorhynchus mykiss) | 96H LC50 | 19000 | mg/l |

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

### 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Recovery operations:** Recycling/reclamation of other inorganic materials.

Waste code number: 20 01 15

Disposal of packaging: Dispose of in accordance with all applicable local, regional and national regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### **Section 14: Transport information**

### 14.1. UN number

UN number: UN3266

# 14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Contains: Sodium Hydroxide, Sodium Metasilicate

#### STAR HIGH PRESSURE WASH

Page: 8

### 14.3. Transport hazard class(es)

Transport class: 8

### 14.4. Packing group

Packing group: ||

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 2

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Non-applicable

### **Section 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** This safety datasheet complies with the requirements of Regulation (EC) No.

1907/2006. Control of Substances Hazardous to Health Regulations 2002 (COSHH).

For use only by suitably trained individuals.

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

This safety data sheet is prepared in accordance with Commission Regulation (EC) No

1272/2008.

This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

### STAR HIGH PRESSURE WASH

Page: 9

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H336: May cause drowsiness or dizziness.

H370: Causes damage to organs.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.