

ALKALINITY CONTROL

Product code: 00950006

Page: 1

Compilation date: 18.03.02

Revision date: 16.01.18

Revision No: 10

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ALKALINITY CONTROL REACH registered number(s): 01-2119457892-27 Product code: R126

Synonyms: LYE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products). PC21:

Laboratory chemicals. PC37: Water treatment chemicals.

1.3. Details of the supplier of the safety data sheet

Company name: Star House, Turbine Road, Turbine Business Park,

Birkenhead, Merseyside, CH41 9BA

T: +44 (0) 1244 504 500

E: enquiries@star-international.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 124 44 504 500

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

ALKALINITY CONTROL

Precautionary statements:P260: Do not breathe mist/vapours/spray.P280: Wear protective gloves/protective clothing/eye protection/face protection.P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomitingP303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.Rinse skin with water .P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
breathing.P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM HYDROXIDE - REACH registered number(s): 01-2119457892-27-0000

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	30-50%	

Section 4: First aid measures

4.1. Description of first aid me	asures		
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.		
	Drench the affected skin with running water for 10 minutes or longer if substance is still		
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.		
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist		
	examination.		
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10		
-	minutes. If unconscious, check for breathing and apply artificial respiration if necessary.		
	If unconscious and breathing is OK, place in the recovery position. Transfer to hospital		
	as soon as possible.		
Inhalation:	on: Remove casualty from exposure ensuring one's own safety whilst doing so. If		
	unconscious and breathing is OK, place in the recovery position. If conscious, ensure		
	the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and		
	provide oxygen if available. Transfer to hospital as soon as possible.		
4.2. Most important symptoms	and effects, both acute and delayed		
· · · ·			
	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.		
-	Corneal burns may occur. May cause permanent damage.		
Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be		
	bleeding from the mouth or nose.	[cont	

Page: 2

ALKALINITY CONTROL

		Page:	3			
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may					
	cause coughing or wheezing.					
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.					
4.3. Indication of any immediate	e medical attention and special treatment needed					
Immediate / special treatment:	Eye bathing equipment should be available on the premises.					
Section 5: Fire-fighting measured	Section 5: Fire-fighting measures					
5.1. Extinguishing media						
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray					
	to cool containers.					
5.2. Special hazards arising fro	m the substance or mixture					
Exposure hazards:	Corrosive. In combustion emits toxic fumes.					
5.3. Advice for fire-fighters						

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eves.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

ALKALINITY CONTROL

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

D				
Res	nıra	nie	au	SI.
1.00	p u	1010	uu	···

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

Hazardous ingredients:

SODIUM HYDROXIDE

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	PVC gloves.
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.
Skin protection:	Impermeable protective clothing.
Environmental:	Refer to specific Member State legislation for requirements under Community
	environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Colourless
Odour:	Odourless
Evaporation rate:	Negligible
Oxidising:	Non-oxidising (by EC criteria)
Solubility in water:	Highly soluble
Also soluble in:	Ethanol. Methanol.

Respirable dust:

ALKALINITY CONTROL

Viscosity:	Viscous		
Boiling point/range°C:	No data available.	Melting point/range°C:	15 approx
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	Not applicable.	Vapour pressure:	No data available.
Relative density:	1.35	pH:	14
VOC g/l:	Not applicable.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

Relevant hazards for product:

Hazard	Route	Basis	
Tiazara	rtouto	Bacio	

[cont...]

Page: 5

ALKALINITY CONTROL

Page: 6

Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

- **Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
- **Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
Waste code number:	20 01 15
Disposal of packaging:	Empty containers may contain hazardous residues
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

ALKALINITY CONTROL

Page: 7

Marine pollutant: No

14.1. UN number

UN number: UN1824

14.2. UN proper shipping name

Shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: For use only by suitably trained individuals.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
	This safety data sheet is prepared in accordance with Commission Regulation (EC) No
	1272/2008.
	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
Phrases used in s.2 and s.3:	H314: Causes severe skin burns and eye damage.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.